




# Global presence







#### **About Enbio**


We have 25 years of experience in combining state-of-the-art biotechnological solutions with fantastic designs. Thanks to our passion and the persistent pursuit of purpose, our Enbio steam sterilizers are the ones taking over Europe right now.

#### Worldwide presence

Enbio autoclaves are manufactured in the EU and distributed globally through logistics centers covering Europe, North America and the Middle East.



# Field-proven product



25,000 users in Europe in 5 years

**Dentistry Ophthalmology** Surgery **Podiatry Beauty Tattoo parlors** Veterinary


















#### Class B


Vacuum Pouches+ drying



#### **Medical Certified**

Medical device class II b EN-13060 / 98/42/EEC Directive FDA Approved








Veterinary











Surgery

### What is Enbio?




Quad-Vacuum (Class B)



World's fastest 15 min sterilization in packs with full drying



High efficiency in ultra-compact form factor



## What is Enbio?




Triple-preVacuum (Class B)





High efficiency in ultra-compact form factor





### The fastest



Why would you waste an hour on something you can do in 7 minutes? Enbio B Class airremoval (pre-vacuum) autoclave is the fastest sterilizer on the market. It is also gloriously intuitive and easy to use.

Sterilization process takes 4 min. Sterilization between visits. Immediately ready for the next sterilization.





# Fast sterilization: time is money


- Sterilization between patients
- Urgent sterilization
- New offer sterilization in demand
- Personification of sterilization
- reducing Staff overtime
- much faster sterilization workflow in busy, multi-room clinics




### **Spacious**

It will fit any interior thanks to its compact size (56x25x16 cm). At the same time, it has the space for all the standard instrumentss, in their packaging or without it.

### **Enbio**<sup>S</sup>



Load space 28x18x3,5 cm



Load space 28x18x7 cm

**Enbio Pro** 



8 x



x 16





## What is Enbio?



Triple-preVacuum (Class B)



World's fastest 15 min sterilization in packs with full drying







# Ultraquiet

### Silent

It generates a low noise level of 40 dB, which allows for comfortable work nearby the device.

Sterilization while being with your patient.

### Silent

It generates a low noise level of 40 dB, which allows for comfortable work nearby the device.

Sterilization while being with your patient.












## What is Enbio?






World's fastest 15 min sterilization in packs with full drying



High efficiency in ultra-compact form factor



# B, like the best in class



# Autoclave classes, explained

Drying **Pouches** Any instrument type instrument mfr. approved only Pre-vacuums





# vacuum?



Ultimate steam penetration into any shape



Sterilization in pouches



Bone-dry pouches after process

### **Enbio**<sup>S</sup>

Fastest autoclave in the world for instruments sterilization in medical and beauty sector.

Unwrapped FAST / 134°C

Wrapped Class B / 134°C

Wrapped Class B / 121°C

7 min

15 min

30 min









### **Technical data – Enbio**<sup>s</sup>

Class	В
Power supply	220-230V AC / 50/60Hz
Max. power consumption	15A
Working pressure	2,1 Bar
Max. pressure	2,3 Bar
Max. process temperature	137°C
Process chamber volume	2,71
Tray inner diameter	28 x 18 x 2,8 cm
Programs	134° C FAST, 134° C, 121 ° C

Max. packages amount (circa)	8
Max. weight of the load	0,5 kg
Mass	15 kg
Level of security	IP20
Data archiving	USB Memory stick
Water supply*	external

<sup>\*</sup>demineralized or distilled water only







### **Enbio Pro**

Fastest autoclave in the world for instruments sterilization in medical and beauty sector.

Unwrapped FAST / 134°C

Wrapped Class B / 134°C

Wrapped Class B / 121°C

Wrapped / PRION Class B / 134°C

9 min

18 min

30 min

43 min








### **Technical data – Enbio Pro**

Class	В
Power supply	230V/ 50Hz
Max. power consumption	15A
Working pressure	2,1 Bar
Max. pressure	2,3 Bar
Max. process temperature	138°C
Process chamber volume	5,31
Tray inner diameter	28 x 18 x 7 cm
Programs	134° C FAST, 134° C, 121°C, PRION

Max. packages amount (circa)	16
Max. weight of the load	0,8 kg
Mass	20 kg
Level of security	IP20
Data archiving	USB Memory stick
Water supply*	external


<sup>\*</sup>demineralized or distilled water only







## **Enbio user manual**



#### **Features**




Power supply
Enbio works with any
typical electrical outlet.



Data archiving

All process data are automatically written to a USB disk.



Water supply

Enbio uses distilled water from external tank. With Enbio Magic Filter, water can be recycled.



#### **Process reports**

Enbio Data Viewer (included) allows generating and printing detailed process reports from the data on USB.




Enbio, as a medical device class IIb, meets all requirements related to the 93/42/EEC "Medical devices" directive. Enbio, as a B class autoclave, meets all requirements of the ISO EN13060 "Small steam sterilisers" standard.





### **Enbio Care**



Perfect technology meets perfect care. All Enbio devices are covered with world's unique warranty and care program. We offer a special qr troubleshooting system for our users.



